

PROTOCOL FOR ANIMAL USE AND CARE

Email to: campusvet@ucdavis.edu

CNPRC

EH&S USE ONLY

PROTOCOL: 10547

EXPIRES: 4/10/04

Investigator		Contact	
Last Name:		Last Name:	
First:		First:	
Middle:		Middle:	
email:		email:	
Department:		Department:	
Phone / Fax:		Phone:	
After hrs. #:		After hrs. #:	

Species (common names):	Number:	Source:
Rhesus monkey	150/yr	Primate Center Colony

Project Title Colostrum Collection for Production of S-IgA Antibodies

Overnight housing location::	Th pad	Day use only :	
Animals will be maintained by:	[x] Vivarium [] Investigator (If investigator maintained, attach husbandry SOP's.)		

Procedures: Provide a one or two sentence layman's description of the procedures employed on the animals in this project. This information will help the animal care staff understand any conditions they may encounter while caring for your animals.

During the birthing season at the Primate Center infants are harvested for assignment to various research projects. Females will receive a dose of ketamine and colostrum collection will take place within 36 hours of birth. Colostrum is a rich source of S-IgA antibodies and is needed for reagents used in primate immunology.

Special Husbandry Requirements: Describe any special requirements your animals have with respect to food, water, temperature, humidity, light cycles, caging type, bedding, or any other conditions of husbandry.

Animals will be held overnight in a single cage, and released to their home cage the next morning.

Other instructions for animal care staff: (check applicable entries)

Sick Animals	Dead Animals	Pest Control
<input type="checkbox"/> Call Investigator	<input type="checkbox"/> Call Investigator	<input type="checkbox"/> Call Investigator
<input checked="" type="checkbox"/> Clinician to treat	<input type="checkbox"/> Save for Investigator	<input checked="" type="checkbox"/> OK to use pesticides
<input type="checkbox"/> Terminate	<input checked="" type="checkbox"/> Bag for disposal	<input type="checkbox"/> No Pesticides in animal area
<input type="checkbox"/> Necropsy	<input checked="" type="checkbox"/> Necropsy	

Hazardous Materials (only if in the animal room):

Infectious Agents?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Agent(s):	
Radioisotopes?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Agent(s):	
Chemical Carcinogens?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Agent(s):	
Toxic Chemicals?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Agent(s):	

Funding source:	NIH	Previously approved?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Is the project already funded?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Previous protocol number (if any):	8998

What Veterinarian or veterinary clinic will provide care for your animals? (check one)

<input type="checkbox"/>	Lab Animal Health Clinic (2-0514)	<input checked="" type="checkbox"/>	California Primate Research Center (2-0447)
<input type="checkbox"/>	VMTH Large Animal Field Service (2-0292)	<input type="checkbox"/>	Another Veterinarian

If you checked "Another Veterinarian", please provide:

Veterinarian:		Address:	
Day phone:			
Emergency phone:		Email:	

If your veterinarian is not affiliated with one of the three service units listed above, please contact the campus veterinarian, 2-2357 (email pctillman@ucdavis.edu) for current information about training and record keeping requirements.

Summary of Procedures:

a) Briefly describe the overall intent of the study. Include in your description a statement of your hypothesis, the objectives and significance of the study. Your target audience is a faculty member from a discipline unrelated to yours. Do not use jargon.

The intent of the study is to collect colostrum for production of S-IgA antibodies needed for primate immunology reagents.

Secretory IgS (S-IgA) is a special form of the IgA antibody that is secreted into colostrum and other mucosal secretions but not into the blood stream. Colostrum is the best, practical source of this antibody. S-IgA is the active form of the antibody that works at mucosal surfaces to protect the host from mucosal infections, e.g. rotavirus infection causing diarrheal illness in infants. Currently, there are no specific reagents to detect the secreted form of IgA in primates other than humans, so the colostrum samples will be used to produce these needed reagents.

b) Procedures employed in this project:

Please check the appropriate boxes if any of these procedures will be employed in your project:

- | | | |
|--|---|--|
| <input type="checkbox"/> Monoclonal Antibody Production ** | <input type="checkbox"/> Food or water restriction | <input type="checkbox"/> Special diets; food or water treatment. |
| <input type="checkbox"/> Polyclonal Antibody Production ** | <input type="checkbox"/> Non-recovery surgical procedures | <input type="checkbox"/> Induced illness, intoxication, or disease |
| <input type="checkbox"/> LD 50 or ID50 studies. | <input type="checkbox"/> Survival surgical procedures | <input type="checkbox"/> Death as an endpoint (see i below) |
| <input type="checkbox"/> catheters, blood collection, intubation | <input type="checkbox"/> Multiple survival surgery | <input type="checkbox"/> Trapping, banding or marking wild animals |
| <input type="checkbox"/> Prolonged restraint. (8 hrs+) | <input type="checkbox"/> Behavioral modification. | <input type="checkbox"/> |
| <input type="checkbox"/> Fasting prior to a procedure. | <input type="checkbox"/> Aversive conditioning. | <input type="checkbox"/> |

**** If this protocol only describes antibody production, you may use the attached antibody production page in lieu of completing section c below.**

c) Describe the use of animals in your project in detail, with special reference to any of procedures checked above. Include any physical, chemical or biological agents that may be administered. List each study group, and describe all the specific procedures that will be performed on each animal in each study group. Use terminology that will be understood by individuals outside your field of expertise. (Note: This cell will expand to whatever length you require. You may make this section as long as you wish, but try to be concise. Some projects may require one or two pages.)

It is estimated that approximately 150 females will have colostrum collection completed. The females selected will be from animals where infants are harvested onto approved research protocols. We will only use what becomes available. Based on past experience with colostrum collection in primates, 0.5 ml to 1 ml is about the maximum to expect per collection.

Animals will receive one dose of ketamine, 10 mg/kg, and one dose of oxytocin (20 IU/ml) 2 IU IM as needed.

Within 36 hours after birth females will receive one dose of ketamine and oxytocin will be administered if needed: approximately 1 ml of colostrum will then be collected; females will remain in a holding cage overnight. During the overnight stay they will receive a bowl of soaked show, fruits, vegetables, and a vitamin supplement. They will be discharged to their home cage in the morning.

d) Study Groups and Numbers: Define, in the form of a table, the numbers of animals to be used in each experimental group described above. The table may be presented on a separate page as an attachment to this protocol if you prefer. The Normal format should be three columns: Study Group, Procedure, Number of animals. The number of rows should follow from the number of study groups; **you may add as many rows as you require**. The chart must fully account for the number of animals you intend to use under this protocol. Assign each group to an invasiveness category according to the chart below.

Group	Procedures / Drugs	Number of Animals	Category
1	Colostrum collection, ketamine, oxytocin	150	1

Categories of invasiveness

Category	Description
1	Little or no discomfort or stress Examples: domestic flocks or herds being maintained in simulated or actual commercial production management systems; the short-term and skillful restraint of animals for purposes of observation or physical examination; blood sampling; injection of material in amounts that will not cause adverse reactions by the following routes: intravenous, subcutaneous, intramuscular, intraperitoneal, or oral.
2	Minor stress or pain of short duration Examples: cannulation or catheterization of blood vessels or body cavities under anesthesia; minor surgical procedures under anesthesia, such as biopsies or laparoscopy; short periods of restraint beyond that required for simple observation or examination, but consistent with minimal distress
3	Moderate to severe distress Examples: major surgical procedures conducted under general anesthesia, with subsequent recovery; prolonged (several hours or more) periods of physical restraint; induction of behavioral stresses such as maternal deprivation
4	Severe pain near, at or above the pain tolerance threshold Examples: exposure to noxious stimuli or agents whose effects are unknown; exposure to drugs, chemicals, or infectious agents at levels that markedly impair physiological systems and which cause death, severe pain, or extreme distress; Surgical experiments which have a high degree of invasiveness.

Further descriptions of these categories are included in the instructions following this document.

e) **Rationale for species and numbers:** How did you determine that 1) the species choice was appropriate and 2) the number of animals in each study groups was the minimum number necessary to achieve sound scientific results?

Colostrum is known to be one of the best sources of S-IgA antibodies. The reagents that will be produced are to be used in assay's for primate virology and immunology studies which are conducted in primates, as a model for HIV in humans.

Females will be used as they become available, as their infants are being harvested for other reasons.

The NIH grant that is funding this study is to supply reagents as a national resource. We are estimating that we will be able to collect 1 ml from 150 animals based on our colony activity. At this point we do not want to collect from females that are intended to keep their infants.

f) **Surgery:** If the project involves survival surgery, where will the surgery be conducted?

Building:

Room:

Who will be the surgeon?

g) **Anesthetics, Analgesics, Tranquilizers, Neuromuscular blocking agents:**

Post procedural analgesics should be given whenever there is possibility of pain or discomfort that is more than slight or momentary. If postoperative analgesics are not to be given, justify the practice under part (i) below.

Provide the following information about any of these drugs that you intend to use in this project.

Species	Drug	Dose (mg/kg)	Route	When and how often will it be given?
Rhesus	Ketamine	10 mg/kg	IM	1x
Rhesus	Oxytocin	0.2 IU	IM	1x as needed

h) **Neuromuscular blocking agents** can conceal inadequate anesthesia and therefore require special justification. If you are using a neuromuscular blocking agent, please complete the following:

Why do you need to use a neuromuscular blocking agent?

What physiologic parameters are monitored during the procedure to assess adequacy of anesthesia?

Under what circumstances will incremental doses of anesthetics-analgesics be administered?

i) **Adverse effects:**

Describe any potential adverse effects of the experiment on the animals (such as pain, discomfort; reduced growth, fever, anemia, neurological deficits; behavioral abnormalities or other clinical symptoms of acute or chronic distress or nutritional deficiency)

This procedure should not cause any adverse effects. Animals will be observed for any postpartum complications while being held overnight.

How will the signs listed above be ameliorated or alleviated? If signs are not to be alleviated or ameliorated by means of post-operative analgesics or other means, explain why this is necessary.

Any health problems that arise will be treated by the CNPRC veterinary staff.

Note: If any unanticipated adverse effects not described above do occur during the course of the study, a complete description of those effects and the steps taken to mitigate them must be submitted to the committee as an amendment to this protocol.

Is death an endpoint in your experimental procedure? Yes No

(Note: "Death as an endpoint" refers to acute toxicity testing, assessment of virulence of pathogens, neutralization tests for toxins, and other studies in which animals are not euthanized, but die as a direct result of the experimental manipulation). If death is an endpoint, explain why it is not possible to euthanize the animals at an earlier point in the study. If you can euthanize the animals at an earlier point, describe the clinical signs which will dictate that an animal will be euthanized.

j) Literature search for alternatives and unnecessary duplication:

*Federal law specifically requires this section. You are required to conduct a literature search to determine that either 1) there are no alternative methodologies by which to conduct this class/lab, or 2) there are alternative methodologies, but these are not appropriate for your particular class/lab. "Alternative methodologies" refers to reduction, replacement, and refinement (the three R's) of animal use, not just animal replacement. You must also show that this use of animals is not **unnecessarily** duplicative of other studies.*

UC Davis provides on-line access to a number of databases that can be used to search for alternatives. Visit

http://trc.ucdavis.edu/jawelsh/Databases_Med_Vet_Researchers.htm (email: jawelsh@ucdavis.edu)

or http://www.vetmed.ucdavis.edu/Animal_Alternatives/main.htm (email: mwood@ucdavis.edu)

What was the date on which you conducted this search?

3/13/00

List the databases searched or other sources consulted (there should be more than one). Include the years covered by the search.

Database Name	Years Covered	Keywords / Search Strategy
Medline	Unlimited	S-IgA, primate
Current Contents	Unlimited	S-IgA, primate

What were your findings with respect to alternative methodologies?

This is considered a less invasive method compared to other forms of collecting secretions rich in S-IgA. Other methods would include cannulation of the bile duct, or collection of small intestinal contents.

Has this study been previously conducted?

Yes No

If the study has been conducted previously, explain why it is scientifically necessary to replicate the experiment.

k) Disposition of animals: At what point in the study, if any, will the animals be euthanized?

Females are returned to their home enclosure the next morning.

l) Methods of euthanasia: Even if your study does not involve killing the animals, you should show a method that you would use in the event of unanticipated injury or illness. If anesthetic overdose is the method, show the agent, dose, and route.

Species	Method	Drug	Dose (mg/kg)	route
Rhesus	Overdose	Pentobarb	60 mg/kg	IV

m) Surplus animals: What will you do with any animals not euthanized at the conclusion of the project?

All animals remain in the colony.

n) **Project Roster:** Please provide the names of all the individuals who will work with animals on this project. This page will not be made available to the public. Give either the University Employee ID # or a valid UC Davis email address so that we can document training and occupational health compliance for regulatory agencies. Include all investigators, student employees, post-doctoral researchers, staff research associates, post-graduate researchers and laboratory assistants who will actually work with the animals. You don't need to include the staff of the vivarium in which your animals will be housed.

The principal investigator is responsible for keeping this roster current. If any staff is added or subtracted from this project, you must amend the protocol by sending the campus veterinarian a memo describing any changes.

Last Name	First Name	Middle Name	UC ID Number or SSN	Email Address
CNPRC SRA's				

Occupational Health Program:

Supervisors must enroll their employees in the campus Occupational Health Program if the workers are at increased risk of illness or injury (such as allergy, physical injury, or infectious disease) because of their work. Enroll workers by having them complete an "Animal Contact History Form", available from Employee Health Services (phone 752-2330). For further information, visit our web site at <http://ehs.ucdavis.edu/animal/health/> or read the UC Davis Policy & Procedure Manual 290-25.

Training:

Supervisors are responsible for insuring that their employees are adequate trained, both in the specifics of their job and in the requirements of the Federal Animal Welfare Act. EH&S offers free, basic wet labs in laboratory animal handling and techniques, and lecture format classes in the requirements of the Animal Welfare Act. To schedule a class for your unit, contact EH&S at 2-2364. Information is available on the world wide web at <http://ehs.ucdavis.edu/>.

Assurances for the Humane Care and Use of Vertebrate Animals:

Principal Investigator's Statement:

I have read and agree to abide by the *UC Davis Policy and Procedure Manual* section 290-30 (Animal Use and Care). This project will be conducted in accordance with the *ILAR Guide for the Care and Use of Laboratory Animals*, and the *UC Davis Animal Welfare Assurance* on file with the US Public Health Service. (These documents are available from the Campus Veterinarian and at <http://ehs.ucdavis.edu/>). I will abide by all Federal, state and local laws and regulations dealing with the use of animals in research.

I will advise the Animal Use and Care Administrative Advisory Committee in writing of any significant changes in the procedures or personnel involved in this project.

_____ <i>Principal Investigator</i>	_____ <i>Rank / Title</i>	_____ <i>Date</i>
--	------------------------------	----------------------

Committee Use Only Below

** Conditions necessary for Committee Approval:
Final Disposition of this protocol: <input type="checkbox"/> Approved <input type="checkbox"/> Not Approved <input type="checkbox"/> Withdrawn by Investigator Date of Action: ____/____/____

I verify that the Institutional Animal Care and Use Committee of the University of California, Davis, acted on this protocol as shown above.

_____ <i>Campus Veterinarian</i>	_____ <i>Date</i>
-------------------------------------	----------------------